


RESOURCE GUIDE

EXTRUSIONS - FLANGED - MDIN




FINISH

SATIN




SATIN ANODIZED
MATTE FINISH
GREY ENDCAPS

MOUNTING TYPE - SURFACE



MOUNTING - HARDWARE


Stainless Steel Clip (MDIN-SST)



2 clips provided for 4' or less;
4 clips provided for greater than 4'

- Stainless Steel
- Indoor/Outdoor
- #4 x 5/8" Flat Head SS
(1 per clip included)

Stainless Steel Screw



#8 x 1" Flat Head Screw

- Stainless Steel
- Indoor/Outdoor

NOTE: Dry wall anchors are recommended.

832



- Strong adhesive
- Non submersible, for dry and wet locations

LENS

DF Diffused




RESOURCE GUIDE


EXTRUSIONS - FLANGED - MDIN



CONNECTORS





LIGHT ORIENTATION




TYPE To order a bare extrusion without a strip installed in Q-Tran factory, choose **NI** (Not Installed) for your Type option

S1 - Input only



P1 - Input/Output



RESOURCE GUIDE - COMPATIBILITY

STRIP & EXTRUSION



STRIP AND EXTRUSION COMPATIBILITY

EXTRUSIONS	STATIC WHITE				DYNAMIC WHITE				STATIC COLOR				RGB				RGBW			
	DRY	DMP	WET	ENC	DRY	DMP	WET	ENC	DRY	DMP	WET	ENC	DRY	DMP	WET	ENC	DRY	DMP	WET	ENC
SLIM	✓	✓	✓	✗	✓	✓	✗	✗	✓	✓	✓	✗	✓	✗	✗	✗	✗	✗	✗	✗
WIDE	✓	✓	✓	✗	✓	✓	✓	✗	✓	✓	✓	✗	✓	✗	✗	✗	✓	✓	✓	✗
ROND	✓	✓	✗	✗	✓	✓	✗	✗	✓	✓	✗	✗	✓	✗	✗	✗	✗	✗	✗	✗
VEGA	✓	✓	✗	✗	✓	✓	✗	✗	✓	✓	✗	✗	✓	✗	✗	✗	✗	✗	✗	✗
TORQ	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗	✗	✓	✗	✗	✗	✗
TRE3	✓	✓	✓	✗	✓	✓	✓	✗	✓	✓	✓	✗	✓	✗	✓	✗	✓	✓	✗	✗
ARKA	✓	✓	✓	✗	✓	✓	✓	✗	✓	✓	✓	✗	✓	✗	✓	✗	✓	✓	✗	✗
TELA	✓	✓	✓	✗	✓	✓	✓	✗	✓	✓	✓	✗	✓	✗	✓	✗	✓	✓	✗	✗
VEVE	✓	✓	✓	✗	✓	✓	✓	✗	✓	✓	✓	✗	✓	✗	✓	✗	✓	✓	✗	✗
FLUR	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗	✗	✓	✗	✗	✗	✗
LATO	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✗	✗	✓	✗	✗	✗	✗

- ✓ = NOT Compatible with 6.0 & 7.5 strips
- ✓ = Wet rated but with no lens